






# NIST Center for Neutron Research (NCNR)

## Live Report












22-Feb-2004 8:10:30 AM





There are a total of **3** responses for the selected group from 15-Feb-2004 to 17-Feb-2004.

### 1. Your position













Percent Count Answers		
	0.0%	0/3 Graduate Student
	33.3%	1/3 Post-doc
	33.3%	1/3 Professor
	33.3%	1/3 Staff Scientist
	0.0%	0/3 Other
<b>100.0%</b>		<b>3/3 Summary</b>

### 2. Your primary instrument (Please use this instrument as the basis for answers to sections 3 and 4)





Percent Count Answers		
	0.0%	0/3 30m SANS, NG3
	0.0%	0/3 30m SANS, NG7
	0.0%	0/3 8m SANS, NG1
	0.0%	0/3 Reflectometer, horizontal sample geometry, NG7
	0.0%	0/3 Reflectometer, polarized beam option, vertical geometry, NG1
	0.0%	0/3 Disk Chopper Spectrometer, NG4
	0.0%	0/3 Backscattering Spectrometer, NG2
	0.0%	0/3 Spin-Echo Spectrometer, NG5
	0.0%	0/3 Cold Neutron Triple-Axis (SPINS), NG5
	0.0%	0/3 USANS, BT5
	0.0%	0/3 Powder Diffractometer, BT1

	0.0%	0/3 Residual Stress Diffractometer, BT8
	0.0%	0/3 Filter Analyzer Spectrometer (FANS), BT4
	0.0%	0/3 Triple-Axis Spectrometer with polarized beam option, BT2
	100.0%	3/3 Triple-Axis Spectrometer, BT9
<hr/>		
<b>100.0%</b>		<b>3/3 Summary</b>
<hr/>		





### 3. Please rate the proposal process

1) Ease of proposal submission		3.0/3	
2) Referee reports and PAC comments		2.7/3	
3) Proposal process fairness		2.7/3	
4) Scheduling process following approval		3.0/3	
<b>Legends:</b>  Poor  Adequate  Excellent  Overall rating based on the scale from 1 to 3			



#### 1) Ease of proposal submission

Percent Count Answers		
	0.0%	0/3 Poor
	0.0%	0/3 Adequate
	100.0%	3/3 Excellent
<hr/>		
<b>100.0%</b>		<b>3/3 Summary</b>
<hr/>		
	3.0/3	Overall rating from 1 to 3

#### 2) Referee reports and PAC comments

Percent Count Answers		
	0.0%	0/3 Poor
	33.3%	1/3 Adequate
	66.7%	2/3 Excellent
<hr/>		
<b>100.0%</b>		<b>3/3 Summary</b>
<hr/>		
	2.7/3	Overall rating from 1 to 3


#### 3) Proposal process fairness










**Percent Count Answers****4) Scheduling process following approval****Percent Count Answers****4. Please rate the effectiveness of the health physics training**

1) Relevance of computer based training content	2.7/3	
2) Efficiency of computer based training	2.7/3	
3) NCNR Health Physics tour	3.0/3	
4) Discussion/exam review with health physicist	3.0/3	
5) Refresher/Reindoctrination Training	3.0/3	

















**Legends:**

- Poor
- Adequate
- Excellent
- Overall rating based on the scale from 1 to 3


**1) Relevance of computer based training content****Percent Count Answers**

**100.0% 3/3 Summary****2) Efficiency of computer based training****Percent Count Answers****100.0% 3/3 Summary****3) NCNR Health Physics tour****Percent Count Answers****100.0% 3/3 Summary****4) Discussion/exam review with health physicist****Percent Count Answers****100.0% 3/3 Summary****5) Refresher/Reindoctrination Training****Percent Count Answers****100.0% 3/3 Summary****5. Please rate the user support facilities**


1) User Laboratory facilities		
-------------------------------	--	--

	 3.0/5	
2) Tools and supplies in support labs	 3.7/5	
3) User Offices	 3.0/5	
4) NCNR computers for users	 2.0/5	
5) Network access for user laptops	 4.0/5	
6) Break/snack room facilities	 2.0/5	
<b>Legends:</b>  Poor  Adequate  Excellent  Overall rating based on the scale from 1 to 5		


### 1) User Laboratory facilities




### 2) Tools and supplies in support labs





### 3) User Offices









#### 4) NCNR computers for users



#### 5) Network access for user laptops



#### 6) Break/snack room facilities




### 6. Please rate the following aspects of sample environments


1) Availability of different sample environments	4.0/5		
2) Quality and reliability of the equipment	3.7/5		
3) Support from sample environment personnel	5.0/5		
<b>Legends:</b> Poor Adequate Excellent			

 Overall rating based on the scale from 1 to 5


### 1) Availability of different sample environments



### 2) Quality and reliability of the equipment



### 3) Support from sample environment personnel




### 7. What other sample environments would you research benefit from


- o [high pressure, low temperature](#)
- o [The support staff is conscientious and hard working, but they are understaffed](#)

### 8. Please rate your primary NCNR instrument


1) Hardware reliability and performance	<div><div></div></div>	3.7/5	<div><div></div></div>	<div><div></div></div>
2) Data acquisition software	<div><div></div></div>	2.7/5	<div><div></div></div>	<div><div></div></div>




### 1) Hardware reliability and performance




### 2) Data acquisition software







### 3) Support from NCNR staff




## 9. Please rate data analysis and visualization software at the NCNR






		3.0/5		
3) Assistance from NCNR staff		3.0/5		
<b>Legends:</b>  Poor  Adequate  Excellent  Overall rating based on the scale from 1 to 5				


### 1) Quality of software



### 2) Range of capabilities




### 3) Assistance from NCNR staff




## 10. What other data analysis tools would your research benefit from

- [The spectrometer control program is primitive and clumsy. It should be updated and commonalities pursued with other facilities.](#)


11. **Please rate to what extent these forms of remote access (would) benefit your research program**




**1) Remote viewing of instrument status and data**



**2) Remote control of instrument**



**3) Mail in samples for simple, well defined measurements**





1.3/3 Overall rating from 1 to 3

12. **Please list any neutron instruments not currently at the NCNR that would benefit your research program or the community in general.**

No response.

13. **Are there any other comments or suggestions about the NCNR that you would like to add?**

No response.

This survey is powered by [Infopoll - Internet Survey Engine for Business Intelligence](#).